





BRIXTON
CARPET TILES



BR632-DGrey



BR632-DGrey



BR631-Grey



BR631-Grey



BR633-BLUE



BR622 & 623



BR633-BLUE

BRIXTON

Polypropylene Carpet Tiles

50cm
50cm

TILE

SPECIFICATIONS

FIBRE COMPOSITION

CONSTRUCTION

YARN TYPE

DYE METHOD

MACHINE GAUGE

STITCH RATE

PILE HEIGHT (±0.5%)

TOTAL HEIGHT (±0.5%)

PILE WEIGHT (±0.5%)

PRIMARY BACKING

SECONDARY BACKING

PILE TREATMENT

SIZE

NUMBER OF TILES PER BOX

AREA PER BOX

LIMITED WARRANTY

RECOMMENDED INSTALLATION PATTERNS

BRIXTON

100% POLYPROPYLENE

Multi-Level Loop

PP BCF

Solution Dyed

1/12"

47/10 CM

3-4-5 MM

6 MM

680 g/m²

Non Woven

E-Bac

UV

50 x 50 CM

20 Pcs.

05 Sqm

02 Years

Quarter Turn/Brick

Performance Specifications

Wear Classification Moderate/Medium/Heavy commercial

Colour Fastness Passes

Flammability Passes

Radiant Flux Passes

Static Propensity Passes

