

Elevate Your Workspace Style



CARPET TILES



DYNAMIC CARPET TILES PDF



1511- L GREY





1512- CHARCOAL





1514- BLUE




Specifications

STYLE	DYNAMIC
Construction	Multi-level scroll loop
Yarn Type	BCF
FIBRE COMPOSITION	100% Polypropylene
Dye Method	Solution Dye
Machine Gauge	1/12 th
Pile Height ($\pm 0.5\%$)	4 mm
Tufted Pile Weight ($\pm 5\%$)	600 gsm
Total Thickness ($\pm 5\%$)	7 mm
Total Weight ($\pm 5\%$)	3750 gsm
Primary Backing	Non-Woven
Backing Type	E back- Standard
Tile Size	50cm x 50cm
Tile per box	24 pcs
Area per box	06 sqmtr
Performance Specification	
Static Propensity (Anti-Static)	Passes
Flammability	Passes




PHYSICAL PROPERTIES:-


RECOMMENDED INSTALLATION:-




QUARTER TURNED



HORIZONTAL



HERRINGBONE




RANDOM




REDUCE FLAMMABILITY




ANTISTATIC



1511-L GREY



1512-CHARCOAL



1514-BLUE

Note:-



- I) The photos are displaying only the design or pattern.
- II) The color of the pasted sample represents only a specific section of the carpet tile.