


GYM RUBBER FLOORING SOLUTIONS




GYM RUBBER TILES



GYM RUBBER ROLLS



GYM RUBBER MATS



INTERLOCKING GYM RUBBER
TILES & MATS

Your Ultimate Guide to Durable & Performance-Ready Gym Floors





OUR PREMIUM

Gym Segment Products



- 01 **RUBBER FLOORING**
 - Gym Rubber Tiles
 - Outdoor Parks Safety Flooring
- 02 **PREMIUM RUBBER ROLLS**
 - Gym Rubber Rolls
 - Outdoor Safety Flooring
- 03 **DUMBBELLS**
 - Gym Dumbbells
 - Exercise Dumbbells
- 04 **P.P TILES**
 - Indoor Safety Flooring
 - Outdoor Safety Flooring
- 05 **SPORTS COURT**

Acrylic & Synthetic Sports Court For Indoor & Outdoor
- 06 **JOGGING TRACKS / RUNNING TRACKS**

EPDM / Acrylic / Synthetic Tracks For Indoor & Outdoor
- 07 **SPORTS MATS**

Outdoor & Indoor All Kinds Of Sports Mats
- 08 **EPDM FLOORING**
 - Indoor EPDM Flooring
 - Outdoor EPDM Flooring
- 09 **KIDS SAFETY FLORRING**
 - Indoor EPDM Flooring
 - Outdoor EPDM Flooring
- 10 **ARTIFICIAL GRASS MAT**

(Turf) for indoor and outdoor

01. RUBBER FLOORING

(Gym Flooring / Outdoor Safety Flooring)

(i) Basic Rubber Tiles



Specification

Size • 20inch X 20inch

Area Covered • 2.77 Sq. ft.


Colors Available • Black/Grey/Terracotta/Blue/Green

Thickness Available • 10mm,15mm,20mm,25mm/35mm,40mm,50mm

Specification

- **Size**
20inch X 20inch
- **Area Covered**
2.77 Sq. ft.
- **Colors Available**
Black/Grey/Terracotta/Blue/Green
- **Thickness Available**
10mm,15mm,20mm,25mm/35mm,40mm,50mm

Classic Rubber Tiles (ii)



01. RUBBER FLOORING

(Gym Flooring / Outdoor Safety Flooring)

(iii) Premium Rubber Tiles



Specification

Size •
20inch X 20inch

Area Covered •
2.77 Sq. ft.


Colors Available •
Black/Grey/Terracotta/Blue/Green

Thickness Available •
10mm,15mm,20mm,25mm/35mm,40mm,50mm

Specification

- Size**
20inch X 20inch
- Area Covered**
2.77 Sq. ft.
- Colors Available**
Green/White/Red/Yellow/Blue/Multicolor
- Thickness Available**
10mm,15mm,20mm,25mm/35mm,40mm,50mm


EPDM Rubber Tiles (iv)



01. RUBBER FLOORING

(Gym Flooring / Outdoor Safety Flooring)

(v) Interlocking Rubber Tiles




Specification

- **Size** • 20inch X 20inch
- **Area Covered** • 2.77 Sq. ft.
- **Colors Available** • Black/Grey/Terracotta/Blue/Green
- **Thickness Available** • 10mm,15mm,20mm,25mm/35mm,40mm,50mm

Paper Cut Rubber Tiles (vi)

Specification

- **Size** • 20inch X 20inch
- **Area Covered** • 2.77 Sq. ft.
- **Colors Available** • Black/Grey/Terracotta/Blue/Green
- **Thickness Available** • 10mm,15mm,20mm,25mm/35mm,40mm,50mm



02. PREMIUM RUBBER ROLLS

(Gym Flooring / Outdoor Safety Flooring)

(i) Premium Rubber Rolls Plain

Specification



Size •

1Mtr X 10Mtr

Area Covered •

108 Sq. ft.

Thickness Available •

2mm,4mm,6mm,8mm,10mm

Colors Available •

Black/Grey/Terracotta/Blue/Green

Premium rubber rolls EPDM (ii)

Specification

- Size
1Mtr X 10Mtr
- Area Covered
108 Sq. ft.
- Thickness Available
2mm,4mm,6mm,8mm,10mm
- Colors Available
Green/White/Red/Yellow/Blue/Multicolor





03. Dumbbells (Gym Dumbbells)

Urethane Dumbbells

Made of pure strong Steel & heavy rubber

Durable & long time workout partner

Ergonomic knurled handle for a comfortable & secure grip

These Urethane Dumbbells are ergonomic design, easy Grip, user friendly & are used by professional trainers, body builders & fitness lovers

Available In : All Sizes & Weights As Per Your Requirements


Customization Is Also Available!



04. P.P TILES

(Outdoor / Indoor Sports Courts)

► P.P Interlocking Suspension Flooring



Specification

Size •
1Feet X 1Feet

Thickness Available •
15mm

Colors Available •
Black/Yellow/Blue/Green

We also provide customization as per your requirements

Outdoor Sport Court



Indoor Sport Court



05. SPORTS COURT

(Outdoor / Indoor Sports Courts)

► Acrylic & Synthetic Sports Court

Tennis court



Football court



Badminton court




Basketball court



06. JOGGING TRACK / RUNNING TRACK

(Outdoor / Indoor Tracks)

► EPDM / Acrylic & Synthetic Tracks



Acrylic & Synthetic Floor

Technical Specifications and Construction Steps

INFRASTRUCTURE WORKS

Option 1: ASPHALT FLOOR

- The concrete girder is surrounded by a (10-15) cm stabilized material or plentmix filling and compacted with a vibratory roller.
- On the compacted ground, a slope of (5-7) cm zero (0) surface asphalt is laid and rolled with a slope of 0.005% (five per thousand).

Option 2: ASPHALT FLOOR ON CONCRETE

- Leveling is done by laying 5cm (16-22mm) crushed stone 2 in the field surrounded by concrete beams.
- Leveling is done by pouring (12- 15) cm mesh steel reinforced BS 20 (C-20) ready concrete by giving a slope of 0.005% (five per thousand) on the leveled crushed stone.
- On the concrete floor (5-7) cm zero (0) asphalt surface asphalt is laid and rolled.

ACRYLIC APPLICATION WORKS

• Preparation: Cured asphalt floor surface is cleaned and made free of dust and foreign matter.


1st Layer : Primer (undercoat) is applied on the surface to increase the retention of the material to be applied.

2nd Layer : After the primer application, a Resurfacer layer is applied to cover the pores on the floor.

3rd Layer : Three layers of Coushion (Powder SBR Mixture) are then applied to the floor to form an elastic layer.

4th Layer : Two layers of Acrylic paint is applied on the created layer.


5th Layer : Game-lines are drawn on the acrylic paint is drawn in accordance with the project and the field is made ready for use.



07. SPORTS MAT

(Outdoor / Indoor Cushions Mats)

► Interlocking Exercise Mat



Specification

Size •

1Mtr X 1Mtr

Thickness Available •

25mm,30mm,35mm,40mm

Colors Available •

Blue & Red Or Custom Color

We also provide customization as per your requirements

Outdoor Sport Mat



Indoor Sport Mat



08. EPDM FLOORING

(Outdoor / Indoor EPDM Flooring)

► On Site EPDM Flooring



Specification

Size •

1Mtr X 10Mtr

Area Covered •

108 Sq. ft.

Colors Available •

Custom Color

Thickness Available •

2mm, 4mm, 6mm, 8mm, 10mm

We also provide customization as per your requirements

Outdoor EPDM Flooring



Indoor EPDM Flooring



09. KIDS SAFETY FLOORING

(Outdoor / Indoor EPDM Flooring)

► On Site EPDM Flooring

ARCHITECTURAL

SPECIFICATION:

(Poured-in-Place) is a seamless play area surface consisting of recycled rubber tire granular combined together with polyurethane binder. Top Coat is UV-stable EPDM Rubber granules combined with polyurethane binder.



QUALITY ASSURANCE

- Installer shall have at least five (5) years proven experience in the industry and approved by product manufacturer.
- Submit 300mm x 300mm product samples in specific colour and specified thickness.
- Colors Blue, Forest Green, Red, Yellow, Brown, Purple, Emerald Green, Teal & Black.

IMPORTANT NOTICE

This is caused by the reaction urethane resin coating on the rubber granules when in contact with Ultra Violet light. This is a short term reaction until the natural effects of fading occur as the curing process proceeds

10. ARTIFICIAL GRASS MAT

(Turf) for indoor and outdoor

► Indoor / Outdoor Artificial Grass Mat



ARCHITECTURAL

SPECIFICATION:

- We are offering different sizes of Grass Mats. Please match the size with your space before ordering so that it matches your requirement.
- No watering or mowing, Quick and easy to lay no maintenance, non allergic, remain green all year around.
- Can be use indoor and outdoor both. You can use it as carpet inside the house, for landscaping garden, for decorating balcony etc.





Explore Our High Density, Premium Quality Gym Flooring

Multiples sizes, thickness & colors are available
Customization is also available as per your requirements!



FOR ANY ENQUIRIES CONTACT US NOW:
(+91) 7042808489, 9999991109