




**Floory
Enterprises**



XPRESSION

LAMINATE FLOORING



COLOR PALETTE



NOBEL WALNUT



REGENCY OAK



HARBOUR OAK




CONCRETE OAK



ESPRESSO OAK



SNOW WHITE





NOBEL WALNUT

Plank Size

Area per Size : $1215 \times 198 \times 8 \text{ mm}$
Box = 25.89ft²



REGENCY OAK

Plank Size

Area per Size : $10 \text{ Plank} \times 3 \text{ Box} = 25.89 \text{ft}^2$



HARBOUR OAK
Plank Size
Area per Size : 10 Plank 3/8" x 11.89ft
Area per Box : 25.89ft²



CONCRETE OAK

Plank Size

Area per Size : $1215 \times 198 \times 8 \text{MM}$ = 25.89ft²



ESPRESSO OAK
Plank Size
Area per Size : 10 Plank 3/8" x 115.89ft²
Area per Box : 25.89ft²



3835

Plank Size : 1215 x 198 x 8MM
Area perSize : 10 Planks/ Box= 25.89ft²



0081 WHITE OAK

Plank Size

Area per Size : 10 Plank 3/Box = 25.89ft²



SNOW WHITE

Plank Size

Area per Size : 10 Plank 3/8" Box = 25.89ft²

FEATURES



WEAR PROTECTION



SCRATCH RESISTANCE



ANTI-STATIC




WATER RESISTANCE



EASIER CLEANING



EASY INSTALLATION



LIGHT COMMERCIAL USE
LEVEL OF USE 32



HEAVY RESIDENTIAL USE
LEVEL OF USE 23

FLOORING STRUCTURE



WEARING LAYER

Imported Europe Abrasion paper
Move Than 6000Rpm

DECORATIVE LAYER

Super Clear Wood Grain, UV Curing To
Keep Lock The Color

BASE MATERIAL LAYER

Special Customized Environmental
Protection Substrate, Meticulous
And Solid

BALANCE LAYER

Good Moisture Resistance To Keep The
Floor Stability

TECHNICAL SPECIFICATION

Collection	Xpression
Dimensions	1215 x 198 x8mm
Surface	Direct pressure laminated. Paper impregnated with high quality melamine Resin with highly wear resistant protective layer of aluminium oxide.
Core	Moisture resistant high density fiberboard, HDF.
Finish	Crystal
Edge description	Valinge
Packing	10 Plank / Box = 25.89 ft ²
Application area	Ideal for heavy residential and moderate commercial use
Level of use	EN 13329, AC-4